



OMNI COMPOSITES, LLC.

Tel: 417-866-3002 Fax: 417-869-9653

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

CHEMICAL PRODUCT IDENTIFICATION:

Continuous Glass Fiber Products, Including Assembled Roving, Direct Roving, Dry Chopped Strands, Wet Chopped Strands, Woven Roving, Stitch Chopped Strand Mat, Power Chopped Strand Mat, Emulsion Chopped Strand Mat, Stitch Combo Mat, Woven Roving, UD Fabric, Combo Mat, Glass Filament Yarn, Marketable Cake, Cut Strands, Texturized Yarn, Surface mat (Veil)

MANUFACTURER INFORMATION:

Omni Composites, LLC.
714 South National Ave Springfield, MO 65804

FAX NUMBER:

International Sales: 417-869-9653

COMPANY EMERGENCY TELEPHONE:

International Sales: 417-866-3002
8:30-16:40 in Eastern Standard Time, from Monday to Friday

MSDS NUMBER:

Q/HM J0520

EFFECTIVE DATE:

February 13, 2009



SECTION 2 – COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients of Products:

Product Name	Glass, %	Size, %	Binder, %	Water, %
Assembled Roving	98.0~99.5	0.05~1.80	/	0~0.20
Direct Roving	98.7~99.85	0.15~1.10	/	0~0.20
Dry Chopped Strands	98.25~99.9	0.10~1.65	/	0~0.10
Wet Chopped Strands	87.8~92.0	0~0.20	/	8.0~12.0
Woven Roving/UD Fabric	98.8~99.85	0.15~1.00	/	0~0.20
Power Chopped Strand Mat	92.45~98.35	0.35~1.35	1.3~6.0	0~0.20
Emulsion Chopped Strand Mat	93.05~96.65	0.35~1.35	3.0~5.4	0~0.20
Glass Filament Yarn	98.6~99.2	0.80~1.20	/	0~0.20
Cut Strands	85~92	/	/	8.0~15.0
Marketable Cake	99.2~99.7	0.30~0.60	/	0~0.20
Texturized Yarn	99.2~99.9	0.10~0.60	/	0~0.20

CAS No.:

Fiber glass: 65997-17-3

Size: N/A



SECTION 3 – HAZARDS IDENTIFICATION

Classification of Hazards:

No information available.

Routes of Entry:

Ingestion, inhalation, skin and eye contact.

Health Effects:

Ingestion: Ingestion of the material is unlikely. However, ingestion of the material may cause gastrointestinal disturbance.

Inhalation: Breathing fiberglass dusts and particulates may cause irritation of the nose, throat and respiratory tract.

Skin contact: Fiberglass dusts and particulates may cause temporary irritation.

Eye contact: Fiberglass dusts and particulates may cause temporary irritation to the eyes.

Environmental Effects:

Long-term exposure to fiberglass environment may cause temporary effects.

Inflammation and Explosion Hazards:

No information available.



SECTION 4 – FIRST-AID MEASURES

Skin Contact:

If irritation occurs to the skin, rinse with soap and water. Make sure to refrain from rinsing with warm water since warm water will make the skin pores open to allow fiberglass to penetrate more deeply. If fiberglass penetrates the skin, use a wash cloth to help pull out the fiberglass. To avoid further irritation, do not rub or scratch affected skin. If irritation persists, get medical help. Make sure to refrain from using compressed air to remove fiberglass from the skin.

Eye Contact:

Immediately flush eyes with clean water for at least 15 minutes. If irritation persists, get medical help.

Inhalation:

If inhaled, immediately remove the affected person to fresh air. If irritation persists, get medical help.

Ingestion:

Normally, ingestion of this material is unlikely. If it occurs, watch the person for several days to make sure that gastrointestinal disturbance doesn't occur. Do not let the person vomit unless required by medical personnel. If disturbance persists, get medical help.

SECTION 5 – FIRE-FIGHTING MEASURES

Flammability Classification:

Non-flammable. But the size and packing material may burn.

Hazardous Combustion Products:

Primary combustion products are carbon monoxide, hydrogen, carbon dioxide and water. Other undetermined compounds can be released in small quantities.

Fire-Fighting Methods:

Use dry chemical, foam, carbon dioxide and water as extinguishing media.

Fire-Fighting Instructions:

Fire fighters must use self-contained breathing apparatus and wear full protective gear.



SECTION 6 – ACCIDENTAL RELEASE MEASURES

In case of release to land, the material should be scooped up as waste and put into a special container and stored in a designated area. In case of release of water, the material will sink and disperse along the bottom of waterways or ponds and cannot be easily removed after it is waterborne. However, the material is non-hazardous in water.

SECTION 7 – HANDLING AND STORAGE

Handling:

Try to prevent the packing material from be damaged and keep the product inside the packing material to minimize the generation of dusts. Maintain a clean work environment and avoid generation of fiberglass fragments from improper handling.

Storage:

Keep product in its packaging until use to minimize potential dust generation.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Highest Permissible Concentration:

National and international hygiene standards are as follows:

Component	Permissible Exposure Limit of OSHA (8-hr Average Weight)	Permissible Exposure Limit of ACGIH (8 hr Average Weight)
Total Dust	15 mg/m ³	10 mg/m ³
Respirable particulates	5 mg/m ³	3 mg/m ³
Respirable Fibre	/	1 fibre/ml

Engineering Control:

Production areas are closed off and a required relative humidity is maintained.

Respiratory Protection:

Wear a suitable mask when working in an environment where dust concentration is high.



Eye Protection:

Wear safety glasses and face shield.

Body Protection:

Normal loose working clothing (long-sleeved shirts and long pants) is recommended. Skin irritation occurs primarily at the contact areas such as around the neck and waist.

Hand Protection:

Wear gloves. Skin irritation occurs primarily at the contact areas such as wrists and between the fingers.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Product Appearance and Properties:

White or off-white solid; No odor.

PH Value:

Not applicable.

Melting Point:

>800 °C.

Boiling Point:

Not applicable.

Relative Density:

2.6 Times that of water.

Relative Vapor Density:

Not applicable

Product Use:

Fiberglass is an inorganic nonmetal material and is used as Plastics reinforcement and acoustical insulation.

Flash Point:

Not applicable

Ignition Temperature:

Not applicable

Explosion Upper Limit:

Not applicable

Explosion Lower Limit:

Not applicable

Solubility (in Water):

Insoluble

SECTION 10 – STABILITY AND REACTIVITY

Stability:

This is a Stable material.

Materials to Avoid:

None.

Conditions to avoid:

None.



Hazardous Polymerization

Will not occur.

SECTION 11 – TOXICOLOGICAL INFORMATION

Acute Toxicity:

None.

Irritability:

Fiberglass dusts may cause irritation to skin and eye. Ingestion of fiberglass may cause irritation to the throat, stomach and gastrointestinal tract. Inhalation may cause coughing, sneezing and nose and throat irritation. Experience indicates that inhalation of a large amount of fiberglass may cause difficulty in breathing, congestion and chest tightness.

Carcinogenicity:

The International Agency for Research on Cancer (IARC), agency of the World Health Organization (WHO), has determined that fiberglass is a non-carcinogenic material because the evidence is inadequate to prove that fiberglass can cause humans and experimental animals to develop cancer.

SECTION 12 – ECOLOGICAL INFORMATION

No data available for this product. Fiberglass products are not listed as a material harmful to animals, plants and fish.

SECTION 13 – DISPOSAL CONSIDERATIONS

RCRA Hazard class:

Non-hazardous.

Disposal Instructions:

Dispose waste material according to local environmental regulations.



SECTION 14 – TRANSPORT INFORMATION

Classification and Code of Hazards:

None.

UN Code:

None.

Packing Mark:

None.

Packing Category:

None.

Packing Method:

None.

Transport Instructions:

Rolling and moisture should be avoided in transit.

SECTION 15 – REGULATORY INFORMATION

SARA title III:

Hazard categories:

Acute health: Yes

Chronic health: No

Fire hazard: No

Pressure hazard: No

Reactivity hazard: No

Reportable ingredients:

Sec.302/304: None

Sec.313: None

Clean Air Act:

No ingredient is listed.



OMNI COMPOSITES, LLC.

Tel: 417-866-3002 Fax: 417-869-9653

WHMIS(Canada) Status:

No controlled.

WHMIS classification(s):

None.

<p>SECTION 16 – OTHER INFORMATION</p>
--

Preparation Date:

February 2009

Prepared by:

Prepared by QC department of Omni Composites, LLC.

Data Verified by:

Assistant To President of Omni Composites, LLC.